

## REFERENCES

- Aamodt, A., and Plaza, E. (1994). Case-Based Reasoning : Foundational Issues , Methodological Variations , and System Approaches. *AI Communications*, 7(1), 39–59.
- Adams, G. (2006). *Smart ecoDesign. Eco-design Checklist. Asia Eco-design Electronics*.
- Adhitya, A., Halim, I., and Srinivasan, R. (2011). Decision support for green supply chain operations by integrating dynamic simulation and LCA indicators: diaper case study. *Environmental Science & Technology*, 45(23), 10178–85.
- Allione, C., De Giorgi, C., Lerma, B., and Petrucci, L. (2012). From ecodesign products guidelines to materials guidelines for a sustainable product. Qualitative and quantitative multicriteria environmental profile of a material. *Energy*, 39(1), 90–99.
- Arnold, M., Reed, D., Weiss, C. F., and Willis, C. (2010). *Green products: Using sustainable attributes to drive growth and value Sustainable business solutions*.
- Ashby, M., and Johnson, K. (2002). *Materials and Design*. Elsevier Butterworth Heinemann.
- Athena sustainable Materials Institute. (2015). Environmental Impact Estimator. Retrieved from <http://www.athenasmi.org/>
- Baayen, H. (2000). *Eco-indicator 99 Manual for Designers*.
- Bejarano, J. C. R., Coudert, T., Vareilles, E., Geneste, L., Aldanondo, M., and Abeille, J. (2014). Case-based reasoning and system design: An integrated approach based on ontology and preference modeling. *Artificial Intelligence for Engineering Design, Analysis and Manufacturing*, 28(01), 49–69.
- Belecheanu, R., Pawar, K. S., Barson, R. J., Bredehorst, B., and Weber, F. (2003). The application of case based reasoning to decision support in new product development. *Integrated Manufacturing Systems*, 14(1), 36–45.
- Bereketli, I., and Genevois, E. M. (2013). An integrated QFDE approach for identifying improvement strategies in sustainable product development. *Journal of Cleaner Production*, 54, 188–198.
- Bernstein, W. Z., Ramanujan, D., Zhao, F. U., Ramani, K., and Cox, M. F. (2012). Teaching Design for Environment through Critique within a Project-Based Product Design Course. *International Journal of Engineering Education*, 28(4), 1–12.
- Bevilacqua, M., Ciarapica, F. E., and Giacchetta, G. (2007). Development of a sustainable product lifecycle in manufacturing firms: a case study. *International Journal of Production Research*, 45(18-19), 4073–4098.

- Bovea, M. D., and Gallardo, A. (2006). The influence of impact assessment methods on materials selection for eco-design. *Materials and Design*, 27(3), 209–215.
- British Standard. (2006a). *BS EN ISO 14040:2006 Environmental management — Life cycle assessment — Principles and framework*. British standard.
- British Standard. (2006b). *BS EN ISO 14044:2006 Environmental management — Life cycle assessment — Requirements and guidelines* (Vol. 3).
- British Standard. (2008). Specification for performance requirements and tests for office furniture. In *BS 5459-2:2000 +A2:2008* (pp. 1–49).
- Brundtland, G. H. (1987). *Our common future: [report of the] World Commission on Environment and Development*. Oxford, UK: Oxford University Press.
- Byggeth, S. H., Broman, G., and Robèrt, K.-H. (2007). A method for sustainable product development based on a modular system of guiding questions. *Journal of Cleaner Production*, 15(1), 1–11.
- C., R. B. J., Coudert, T., Vareilles, E., Geneste, L., Aldanondo, M., and Abeille, J. (2014). Case-based reasoning and system design: An integrated approach based on ontology and preference modeling. *Artificial Intelligence for Engineering Design, Analysis and Manufacturing*, 28(01), 49–69.
- Caford NZ Ltd. (2013). Office Chair Base. Retrieved June 25, 2015, from [www.caford.co.nz](http://www.caford.co.nz)
- Cerdan, C., Gazulla, C., Raugei, M., Martinez, E., and Fullana-i-Palmer, P. (2009). Proposal for new quantitative eco-design indicators: a first case study. *Journal of Cleaner Production*, 17(18), 1638–1643.
- Ciroth, A. (2009). Cost data quality considerations for eco-efficiency measures. *Ecological Economics*, 68(6), 1583–1590.
- Clark, G., Kosoris, J., Hong, L. N., and Crul, M. (2009). Design for Sustainability: Current Trends in Sustainable Product Design and Development. *Sustainability*, 1(3), 409–424.
- Cristofari, M., Deshmukh, A., and Wang, B. (1996). Green Quality Function Deployment. In *Proceeding of the 4th International Conference on Environmentally Conscious Design and Manufacturing* (pp. 297–304).
- Crul, M., and Diehl, J. C. (2008). *Design for Sustainability. A step-by-step approach*.
- Defra. (2012). *Guidelines to Defra/DECC GHG Conversion Factors for Company Reporting*. Department of Energy and Climate Change.
- Devanathan, S., Ramanujan, D., Bernstein, W. Z., Zhao, F., and Ramani, K. (2010). Integration of Sustainability Into Early Design Through the Function Impact Matrix. *Journal of Mechanical Design*, 132(8), 1–8.
- Dillard, V., Dujon, M.C. and King, 2009. *Understanding the Social Dimension of Sustainability*, ISBN: 0-203-89297-6.

- DPD group. (2015). DPD group. Retrieved from [http://www.dpd.co.uk/content/products\\_services/dpd\\_express.jsp](http://www.dpd.co.uk/content/products_services/dpd_express.jsp)
- Ehrenfeld, J. R. (1997). Industrial ecology : a framework and process design. *Journal of Cleaner Production*, 5(1), 87–95.
- Emzer, M., Mattheir, C., and Birkhofer, H. (2003). EI2QFD - an Integrated QFD Approach or From the Results of Eco-indicator 99 to Quality Function Deployment. In *Third International Symposium in Environmentally Consious Design and Inverse Manufacturing*. Tokyo: IEEE.
- Ernzer, M., Sakao, T., and Mattheiß, C. (2004). Effective and Efficient Application of Eco-QFD. In *International Design Conference* (pp. 1–6).
- European Commission. (2010). *International Reference Life Cycle Data System (ILCD) Handbook : Analysing of existing Environmental Impact Assessment methodologies for use in Life Cycle Assessment*. European Commission. Institute for Environment and Sustainability.
- Fernando, P., and Souza, D. A. (2006). Indicators of Sustainable Product Design. In *IEEE* (pp. 274–277).
- Frischknecht, R., Niels Jungbluth, Althaus, H., Bauer, C., Doka, G., Dones, R., ... Margni, M. (2007). *Implementation of Life Cycle Impact Assessment Methods*.
- Gehin, A., Zwolinski, P., and Brissaud, D. (2008). A tool to implement sustainable end-of-life strategies in the product development phase. *Journal of Cleaner Production*, 16(5), 566–576.
- Germani, M., Mandolini, M., Marconi, M., Morbidoni, A., and Rossi, M. (2013). A Case-Based Reasoning Approach to Support the Application of the Eco-Design Guidelines. In *20th CIRP International Conference on Life Cycle Engineering*, (pp. 81–86). Singapore.
- Ghazalli, Z., & Murata, A. (2011). Development of an AHP–CBR evaluation system for remanufacturing: end-of-life selection strategy. *International Journal of Sustainable Engineering*, 4(1), 2–15.
- Goedkoop, M., Heijungs, R., Huijbregts, M., Schryver, A. De, Struijs, J., and Zelm, R. van. (2013). *ReCiPe 2008: A Life Cycle Impact Assessment Method Which Comprises Harmonised Category Indicators at the Midpoint and the Endpoint Level*.
- Guinée, J. B., Gorée, M., Heijungs, R., Huppes, G., Kleijn, R., Koning, A. de, ... Huijbregts, M. A. J. (2002). *Handbook on Life Cycle Assessment: Operational Guide to the ISO Standards. Series: Eco-efficiency in industry and science*. Kluwer Academic Publishers.
- Haapala, K. R., Zhao, F., Camelio, J., Sutherland, J. W., Skerlos, S. J., Dornfeld, D. A., ... Rickli, J. L. (2013). A Review of Engineering Research in Sustainable Manufacturing. *Journal of Manufacturing Science and Engineering*, 135(4), 1–16.
- Halada, K., and Yamamoto, R. (2001, November). The current status of research and development on eco-materials around the world. *MRS Bulletin*, 871–878.

- Hare, J. A. O. (2010). *Eco-innovation tools for the early stages: An industry-based investigation of tool customisation and introduction*. University of Bath.
- Hassan, M. F., and Omar, B. (2012). A Framework for Estimating the Sustainability Index of New Product based on AHP and BP Neural Network. In *Proceedings of the 2012 International Conference on Industrial Engineering and Operations Management* (pp. 1111–1118).
- Heijungs, R., Huppes, G., and Guinée, J. B. (2010). Life cycle assessment and sustainability analysis of products, materials and technologies. Toward a scientific framework for sustainability life cycle analysis. *Polymer Degradation and Stability*, 95(3), 422–428.
- HM Revenue and Customs. (2014). Guidance Rates and allowances: Landfill Tax. Retrieved from <https://www.gov.uk/government/publications/rates-and-allowances-landfill-tax/rates-and-allowances-landfill-tax>
- <http://www.eco-bat.ch/>. (2015). Eco-balance Assessment Tool. Retrieved June 26, 2015, from <http://www.eco-bat.ch/>
- <http://www.genan.eu/incineration-130.aspx>. (n.d.). Incineration. Retrieved from <http://www.genan.eu/incineration-130.aspx>
- <http://www.mobiusenviro.com/>. (n.d.). Remanufacturing.
- <https://www.sopheon.com>. (n.d.). Sustainable Product Development. Retrieved June 22, 2015, from <https://www.sopheon.com>
- Huijbregts, M. A. J., Van, O. L., De, K. ., Huppes, G., Suh, S., and Breedveld, L. (2005). *Green Guide to Specification BRE Materials Industry Briefing Note 3b : Normalisation*.
- Ilgin, M. A., Gupta, S. M., and Battaïa, O. (2015). Use of MCDM techniques in environmentally conscious manufacturing and product recovery: State of the art. *Journal of Manufacturing Systems*.
- Inoue, M., Lindow, K., Stark, R., Tanaka, K., Nahm, Y. E., and Ishikawa, H. (2012). Decision-making support for sustainable product creation. *Advanced Engineering Informatics*, 26(4), 782–792.
- Jeong, M. G., Morrison, J. R., and Suh, H. W. S. (2013). Approximate life cycle assessment using case-based reasoning for the eco design of products. *2013 IEEE International Conference on Automation Science and Engineering (CASE)*, 486–491.
- Jiao, J., Tseng, M. M., Ma, Q., and Zou, Y. (2000). Generic Bill-of-Materials-and-Operations for High-Variety Production Management. *Concurrent Engineering: Research and Applications*, 8(4), 297–321.
- Johnson, J., Reck, B. K., Wang, T., and Graedel, T. E. (2007). The Energy Benefit of Stainless Steel Recycling. *Energy Policy*, 36(1), 181–192.
- Kaebernick, H., Kara, S., and Sun, M. (2003). Sustainable product development and manufacturing by considering environmental requirements. *Robotics and Computer-Integrated Manufacturing*, 19(6), 461–468.

- Kamrani, A. K., and Salhieh, S. M. (2002). *Product design for modularity*. Kluwer Academic Publishers.
- Kim, S. J., Kara, S., and Kayis, B. (2014). Economic and environmental assessment of product life cycle design: Volume and technology perspective. *Journal of Cleaner Production*, 75, 75–85.
- Knight, P., and Jenkins, J. O. (2009). Adopting and applying eco-design techniques: a practitioners perspective. *Journal of Cleaner Production*, 17(5), 549–558.
- Ko, K., Ramirez, M., and Ward, S. (2011). Long-Term Product Attachment : a Sustainable Design Approach for Optimising the Relationship Between Users and Products. In *The Tao of Sustainability: International Conference on Sustainable Design Strategies in a Globalization Context* (pp. 580–587). Beijing.
- Kuo, T. C. (2010). Combination of case-based reasoning and analytical hierarchy process for providing intelligent decision support for product recycling strategies. *Expert Systems with Applications*, 37(8), 5558–5563.
- Kuo, T. C., Wu, H. H., and Shieh, J. I. (2009). Integration of environmental considerations in quality function deployment by using fuzzy logic. *Expert Systems with Applications*, 36(3), 7148–7156.
- Lehtinen, H., Saarentaus, A., Rouhiainen, J., Pits, M., and Azapagic, A. (2011). A review of LCA methods and tools and their suitability for SMEs.
- Lin, C. Y., Lee, A. H. I., and Kang, H. Y. (2015). An integrated new product development framework – an application on green and low-carbon products. *International Journal of Systems Science*, 46(4), 733–753.
- Lippiatt, B., Greig, A. L., and Lavappa, P. (2009). BEES. Retrieved June 26, 2015, from <http://www.nist.gov/el/economics/BEESSoftware.cfm>
- Ljungberg, L. Y. (2007). Materials selection and design for development of sustainable products. *Materials and Design*, 28(2), 466–479.
- Luttropp, C., and Lagerstedt, J. (2006). EcoDesign and The Ten Golden Rules: generic advice for merging environmental aspects into product development. *Journal of Cleaner Production*, 14(15-16), 1396–1408.
- Manmek, S. (2007). *Economic Evaluation of Environmental Impacts of Industrial Products*. The University of New South Wales.
- Masui, K., Sakao, T., and Inaba, A. (2001). Quality Function Deployment for Environment: QFDE (1st Report) - A Methodology in Early Stage of DfE-. In *International Symposium On Environmentally Conscious Design and Inverse Manufacturing* (pp. 852–857). Tokyo.
- Masui, K., Sakao, T., Kobayashi, M., and Inaba, A. (2003). Applying Quality Function Deployment to environmentally conscious design. *International Journal of Quality and Reliability Management*, 20(1), 90–106.
- McLauchlin, A. R., Ghita, O. R., and Savage, L. (2014). Studies on the reprocessability of poly(ether ether ketone) (PEEK). *Journal of Materials Processing Technology*, 214(1), 75–80.

- Mehta, C., and Wang, B. (2001). Green Quality Function Deployment III: A Methodology for Developing Environmentally Conscious Products. *Design Manufacturing*, 4(1), 1–16.
- National Institute for Environmental Studies (NIES). (2015). Sustainable Development Indicators Database. Retrieved June 25, 2015, from [http://www.nies.go.jp/sdi-db/search\\_e.php](http://www.nies.go.jp/sdi-db/search_e.php)
- National Pollution Prevention Center. (1995). *Pollution Prevention Concepts and Principles*.
- Nguyen, X. H., Honda, T., Wang, Y., and Yamamoto, R. (2005). Eco-Materials. Retrieved July 23, 2013, from [www.d4s-sbs.org/MH.pdf](http://www.d4s-sbs.org/MH.pdf)
- Orangebox. (2014). No Title. Retrieved May 19, 2015, from [http://www.orangebox.com/img/prod/product\\_range/task\\_seating\\_seren/literature/PDF/Seren\\_Brochure.pdf](http://www.orangebox.com/img/prod/product_range/task_seating_seren/literature/PDF/Seren_Brochure.pdf)
- Prendeville, S., O'Connor, F., and Palmer, L. (2014). Material selection for eco-innovation: SPICE model. *Journal of Cleaner Production*, 85, 31–40.
- Ptioplastics. (2014). No Title. Retrieved from <http://www.ptioplastics.co.uk/>.
- Ramani, K., Ramanujan, D., Bernstein, W. Z., Zhao, F., Sutherland, J., Handwerker, C., ... Thurston, D. (2010). Integrated Sustainable Life Cycle Design: A Review. *Journal of Mechanical Design*, 132(9), 091004.
- Rajak, S. and Vinodh, S., 2015. Application of fuzzy logic for social sustainability performance evaluation: a case study of an Indian automotive component manufacturing organization. *Journal of Cleaner Production*, 108, pp.1184–1192.
- Remery, M., Mascle, C., and Agard, B. (2012). A new method for evaluating the best product end-of-life strategy during the early design phase. *Journal of Engineering Design*, 23(6), 419–441.
- Romli, A., Pisa, M. P. D. La, Setchi, R., and Prickett, P. (2015). Eco-Case Based Reasoning ( Eco-CBR ) for Supporting Sustainable Product Design. In *Second International Conference on Sustainable Design and Manufacturing* (pp. 1–12).
- Romli, A., Prickett, P., Setchi, R., and Soe, S. (2014). Sensitivity Analysis of an Eco-design House of Quality Model. In *International Conference on Sustainable Design and Manufacturing*. Cardiff.
- Russo, D., and Rizzi, C. (2014). Structural optimization strategies to design green products. *Computers in Industry*, 65(3), 470–479. <http://doi.org/10.1016/j.compind.2013.12.009>
- Sakao, T. (2007). A QFD-centred design methodology for environmentally conscious product design. *International Journal of Production Research*, 45(18-19), 4143–4162.
- Senthil, K. D., Ong, S. K., Nee, A. Y. C., and Reginald, B. H. T. (2003). A proposed tool to integrate environmental and economical assessments of products. *Environmental Impact Assessment Review*, 23(1), 51–72.

- Solidworks. (2013). Life Cycle Assessment. Retrieved from <http://www.solidworks.com/sustainability/design/life-cycle-assessment.htm>
- Stephens, J., Brousseau, E., and Soe, S. (2015). *Design Optimisation for Additive Manufacturing via Topology Optimisation*. Cardiff University.
- Takai, S. (2009). A case-based reasoning approach toward developing a belief about the cost of concept. *Research in Engineering Design*, 20(4), 255–264.
- Turnbull, A. (2014). Medical Eco-design. Retrieved from <http://www.medical-ecodesign.com/drivers-benefits/cost-savings>
- U.S. Department of Commerce Economics and Statistics Administration. (2010). *U.S. Carbon Dioxide Emissions and Intensities Over Time: A Detailed Accounting of Industries, Government and Households*.
- US EPA. (2006). Life Cycle Impact Assessment. *Life Cycle Assessment: Principles and Practice*, 46–53.
- US EPA. (2015). Specific pollution prevention approaches. Retrieved June 25, 2015, from <http://water.epa.gov/polwaste/>
- Utne, I. B. (2009). Improving the environmental performance of the fishing fleet by use of Quality Function Deployment (QFD). *Journal of Cleaner Production*, 17(8), 724–731.
- VanDuinen, M., and Deisl, N. (2009). *Handbook to Explain LCA Using the GaBi EDU Software Package*. PE America LLC. Retrieved from [www.pe-americas.com](http://www.pe-americas.com)
- Vezzoli, C., and Sciama, D. (2006). Life Cycle Design: from general methods to product type specific guidelines and checklists: a method adopted to develop a set of guidelines/checklist handbook for the eco-efficient design of NECTA vending machines. *Journal of Cleaner Production*, 14(15-16), 1319–1325.
- Vinodh, S., Kamala, V., and Jayakrishna, K. (2013). ECQFD-TRIZ- AHP integrated approach for innovative and sustainable product development. *Applied Mathematical Modelling*, 38(11), 2758–2770.
- Vinodh, S., and Rathod, G. (2010). Integration of ECQFD and LCA for sustainable product design. *Journal of Cleaner Production*, 18(8), 833–842.
- Vinodh, S., and Rathod, G. (2014). Application of life cycle assessment and Monte Carlo simulation for enabling sustainable product design. *Journal of Engineering, Design and Technology*, 12(3), 307–315.
- Vogtlander, J. G. (2011). *A quick reference guide to LCA data and Eco-based materials selection*. Sustainable Design Series of Delft University of Technology.
- Wang, J., Yu, S., Qi, B., and Rao, J. (2010). ECQFD and LCA Based Methodology for Sustainable Product Design. In *Computer-Aided Industrial Design and Conceptual Design (CAIDCD)* (pp. 1563–1567). Yiwu: IEEE.
- Weustink, I. F., Ten Brinke, E., Streppel, A. H., and Kals, H. J. J. (2000). A generic framework for cost estimation and cost control in product design. *Journal of Materials Processing Technology*, 103(1), 141–148.

- White, C., Stewart, E., Howes, T., and Adams, B. (2008). *Aligned for Sustainable Design. An A-B-C-D Approach to Making Better Products. Business for Social Responsibility*.
- World Business Council for Sustainable Development. (2000). *Eco-efficiency. Creating more value with less impact. World Business Council for Sustainable Development*. Retrieved from <http://www.wbcsd.org>
- Yan, J., and Feng, C. (2014). Sustainable design-oriented product modularity combined with 6R concept: A case study of rotor laboratory bench. *Clean Technologies and Environmental Policy*, 16(1); 95–109.
- Yang, C. J., and Chen, J. L. (2011). Accelerating preliminary eco-innovation design for products that integrates case-based reasoning and TRIZ method. *Journal of Cleaner Production*, 19(9-10), 998–1006.
- Yang, C. J., and Chen, J. L. (2012). Forecasting the design of eco-products by integrating TRIZ evolution patterns with CBR and Simple LCA methods. *Expert Systems with Applications*, 39(3), 2884–2892.
- Yang, C. L., Huang, R. H., and Ke, W. C. (2012). Applying QFD to build green manufacturing system. *Production Planning and Control*, 23(2-3), 145–159.
- Zarandi, M. H. F., Mansour, S., Hosseiniyou, S. A., and Avazbeigi, M. (2011). A material selection methodology and expert system for sustainable product design. *The International Journal of Advanced Manufacturing Technology*, 57(9-12), 885–903.
- Zhang, Y., Wang, H. ., and Zhang, C. (1999). Green QFD-II: a life cycle approach for environmentally conscious manufacturing by integrating LCA and LCC into QFD matrices. *International Journal Production Research*, 37(5).
- Zhou, X., and Schoenung, J. M. (2007). An integrated impact assessment and weighting methodology: evaluation of the environmental consequences of computer display technology substitution. *Journal of Environmental Management*, 83(1), 1–24.